AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

Claim 1 (currently amended): A compound of the Formula:

$$\mathbb{R}^{2}$$

$$\mathbb{R}^{2}$$

$$\mathbb{R}^{0}$$

$$\mathbb{R}^{0}$$

$$\mathbb{R}^{0}$$

or a pharmaceutically acceptable salt thereof, wherein;

B is hydrido, trialkylsilyl, C2-C8 alkyl, C3-C8 alkenyl, or C3-C8 alkynyl, optionally substituted at any carbon up to and including 6 atoms from the point of attachment of B to A with one or more of the group consisting of R³², R³⁴, R³⁵, and R³⁶;

R⁹, R¹⁰, R¹¹, R¹², R¹³, R³², R³³, R³⁴, R³⁵, and R³⁶ are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkylenedioxy, haloalkylthio, alkanoyloxy, alkoxy, cycloalkoxy, cycloalkylalkoxy, aralkoxy, aryloxy, heteroaryloxy, heteroaralkoxy, heterocyclyloxy, heterocyclylalkoxy, alkoxyalkyl, haloalkoxylalkyl, hydroxy, amino, alkoxyamino, nitro, alkylamino, N-alkyl-N-arylamino, arylamino, aralkylamino, heteroarylamino, heteroarylamino, heteroarylamino, heterocyclylalkylamino, alkylthio, alkylthioalkyl, alkylsulfinyl, arylsulfinyl, aralkylsulfinyl, cycloalkylsulfinyl, heteroarylsulfinyl, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, cycloalkylsulfonyl, heteroarylsulfonyl, alkylsulfonylalkyl, aryl, aralkyl, cycloalkyl, cycloalkylalkyl, heteroaryl, heterocyclyl, alkylsulfonamido, amidosulfonyl, alkanoyl, haloalkanoyl, alkyl, alkenyl, halo, haloalkyl, haloalkenyl, haloalkoxy, hydroxyhaloalkyl,

hydroxyalkyl, aminoalkyl, haloalkoxyalkyl, carboxyalkyl, carboalkoxy, carboxy, carboxamido, carboxamidoalkyl, and cyano;

B is selected from the group consisting of hydrido, trialkylsilyl, C2-C8 alkyl, C3-C8 alkylenyl, C3-C8 alkenyl, C3-C8 alkynyl, and C2-C8 haloalkyl, wherein each member of group B is optionally substituted at any carbon up to and including 6 atoms from the point of attachment of B to A with one or more of the group consisting of R³², R³³, R³⁴, R³⁵, and R³⁶;

A is a bond;

R⁷ is selected from the group consisting of hydrido, hydroxy, and alkyl;

Ψ is NH or NOH:

M is R¹-C;

R¹ is selected from the group consisting of hydrido, alkyl, alkenyl, cyano, halo, haloalkyl, haloalkoxy, haloalkylthio, amino, aminoalkyl, alkylamino, amidino, hydroxy, hydroxyamino, alkoxy, hydroxyalkyl, alkoxyamino, thiol, and alkylthio;

 R^2 is Z^0 -Q:

 Z^0 is a bond;

Q is phenyl wherein (a) a ring carbon in a first alpha position relative to the ring carbon at the point of attachment is optionally substituted by R⁹, (b) a ring carbon in a second alpha position relative to the ring carbon at the point of attachment is optionally substituted by R¹³, (c) a ring carbon, in a first beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring [[atom]] carbon optionally substituted by R⁹, is optionally substituted by R¹⁰, (d) a ring carbon, in a second beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring [[atom]] carbon optionally substituted by R¹³, is optionally substituted by R¹², and (e) a ring carbon, in the gamma position relative to the ring carbon at the point of attachment and in an alpha position relative to each of the ring [[atoms]] carbons optionally substituted by R¹⁰ and R¹², respectively, is optionally substituted by R¹¹;

K is $(CR^{4a}R^{4b})_n$ wherein n is 1 or 2;

R^{4a} and R^{4b} are independently selected from the group consisting of halo, hydrido, hydroxyalkyl, alkyl, alkoxyalkyl, alkylthioalkyl, and haloalkyl;

 E^0 is E^1 , when K is $(CR^{4a}R^{4b})_n$, wherein E^1 is selected from the group consisting of a bond, C(O), C(S), C(O)N(R⁷), (R⁷)NC(O), S(O)₂, (R⁷)NS(O)₂, and S(O)₂N(R⁷);

Y⁰ is the formula

R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, haloalkylthio, alkoxy, hydroxy, amino, nitro, alkoxyamino, alkylamino, alkylthio, alkylsulfinyl, alkylsulfonyl, alkanoyl, haloalkanoyl, alkyl, alkenyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, aminoalkyl, haloalkoxyalkyl, carboalkoxy, and cyano.

Claim 2 (currently amended): Compound of claim 1 of the Formula:

or a pharmaceutically acceptable salt thereof, wherein;

B is hydrido, trialkylsilyl, C2-C8 alkyl, C3-C8 alkenyl, or C3-C8 alkynyl, optionally substituted at any carbon up to and including 6 atoms from the

point of attachment of B to A with one or more of the group consisting of R³², R³³, R³⁴, R³⁵, and R³⁶;

R³², R³³, R³⁴, R³⁵, and R³⁶ are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkylenedioxy, haloalkylthio, alkanoyloxy, alkoxy, hydroxy, amino, alkoxyamino, haloalkanoyl, nitro, alkylamino, alkylthio, aryl, aralkyl, cycloalkyl, cycloalkylalkyl, heteroaryl, heterocyclyl, alkylsulfonamido, amidosulfonyl, alkyl, alkenyl, halo, haloalkyl, haloalkenyl, haloalkoxy, hydroxyalkyl, hydroxyhaloalkyl, aminoalkyl, carboalkoxy, carboxy, carboxamido, cyano, and Q^b;

B is selected from the group consisting of hydrido, trialkylsilyl, C2-C8 alkyl, C3-C8 alkylenyl, C3-C8 alkenyl, C3-C8 alkynyl, and C2-C8 haloalkyl, wherein each member of group B is optionally substituted at any carbon up to and including 6 atoms from the point of attachment of B to A with one or more of the group consisting of R³², R³³, R³⁴, R³⁵, and R³⁶;

R⁹, R¹⁰, R¹¹, R¹², and R¹³ are independently selected from the group consisting of hydrido, acetamido, haloacetamido, alkoxyamino, alkanoyl, haloalkanoyl, amidino, guanidino, alkylenedioxy, haloalkylthio, alkoxy, cycloalkoxy, cycloalkylalkoxy, aralkoxy, aryloxy, heteroaryloxy, heteroaralkoxy, heterocyclyloxy, heterocyclylalkoxy, hydroxy, amino, alkylamino, N-alkyl-N-arylamino, arylamino, aralkylamino, heteroarylamino, heteroaralkylamino, heterocyclylalkylamino, alkylthio, alkylsulfinyl, arylsulfinyl, aralkylsulfinyl, cycloalkylsulfinyl, heteroarylsulfinyl, alkylsulfamido, alkylsulfonyl, arylsulfonyl, aralkylsulfonyl, arylsulfonyl, amidosulfonyl, alkyl, aryl, aralkyl, cycloalkyl, cycloalkylsulfonyl, heteroaryl, heterocyclyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, hydroxyhaloalkyl, aminoalkyl, carboalkoxy, carboxy, carboxyalkyl, carboxamido, and cyano;

R⁷ is selected from the group consisting of hydrido, hydroxy and alkyl;

R¹ is selected from the group consisting of hydrido, alkyl, cyano, halo, haloalkyl, haloalkoxy, amino, aminoalkyl, alkylamino, amidino, hydroxy, hydroxyamino, alkoxy, hydroxyalkyl, alkoxyamino, thiol, and alkylthio;

K is CHR^{4a} wherein R^{4a} is selected from the group consisting of hydrido, hydroxyalkyl, alkyl, alkoxyalkyl, alkylthioalkyl, and haloalkyl;

E⁰ is selected from the group consisting of a covalent single bond, C(O)N(H), (H)NC(O), (R⁷)NS(O)₂, and S(O)₂N(R⁷); <u>and</u>

R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, haloalkylthio, alkoxy, hydroxy, amino, alkoxyamino, alkylamino, alkylthio, alkylsulfinyl, alkylsulfonyl, alkanoyl, haloalkyl, haloalkoxy, hydroxyalkyl, aminoalkyl, and cyano.

Claims 3-16 (cancelled)

Claim 17 (currently amended): Compound of claim 2 of the Formula:

or a pharmaceutically acceptable salt thereof, wherein;

B is selected from the group consisting of hydrido, C2-C8 alkyl, C3-C8 alkenyl, or C3-C8 alkynyl, and C2-C8 haloalkyl, wherein each member of group B is optionally substituted at any carbon up to and including 6 atoms from the point of attachment of B to A with one or more of the group consisting of R³², R³³, R³⁴, R³⁵, and R³⁶;

R³², R³³, R³⁴, R³⁵, and R³⁶ are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkoxy, hydroxy, amino, alkoxyamino, alkylamino, alkylthio, amidosulfonyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, hydroxyhaloalkyl, carboalkoxy, carboxy, carboxamido, cyano, and Q^b;

A is a bond;

M is R¹-C;

R¹ is selected from the group consisting of hydrido, hydroxy, hydroxyamino, amidino, amino, cyano, hydroxyalkyl, alkoxy, alkyl, alkylamino, aminoalkyl, alkylthio, alkoxyamino, haloalkyl, haloalkoxy, and halo;

 R^2 is Z^0 -Q;

 Z^0 is a bond;

Q is phenyl wherein (a) a ring carbon in a first alpha position relative to the ring carbon at the point of attachment is optionally substituted by R⁹, (b) a ring carbon in a second alpha position relative to the ring carbon at the point of attachment is optionally substituted by R¹³, (c) a ring carbon, in a first beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring [[atom]] carbon optionally substituted by R⁹, is optionally substituted by R¹⁰, (d) a ring carbon, in a second beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring [[atom]] carbon optionally substituted by R¹³, is optionally substituted by R¹², and (e) a ring carbon, in the gamma position relative to the ring carbon at the point of attachment and in an alpha position relative to each of the ring [[atoms]] carbons optionally substituted by R¹⁰ and R¹², respectively, is optionally substituted by R¹¹;

R⁹, R¹¹, and R¹³ are independently selected from the group consisting of hydrido, hydroxy, amino, amidino, guanidino, alkylamino, alkylthio, alkylsulfonamido, alkylsulfinyl, alkylsulfonyl, amidosulfonyl, alkyl, alkoxy, halo, haloalkyl, hydroxyhaloalkyl, carboxy, carboxamido, and cyano;

R¹⁰ and R¹² are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkyl, aryl, aralkyl, cycloalkyl, cycloalkylalkyl, heteroaryl, heterocyclyl, alkoxy, cycloalkoxy, cycloalkylalkoxy, aralkoxy, aryloxy, heteroaryloxy, heteroaralkoxy,heterocyclyloxy, heterocyclylalkoxy, hydroxy, amino, alkoxyamino, alkylamino, arylamino, aralkylamino, heteroarylamino, heteroaralkylamino, heterocyclylamino, heterocyclylalkylamino, alkylsulfonamido, amidosulfonyl, arylsulfinyl, aralkylsulfinyl, cycloalkylsulfinyl, heteroarylsulfinyl, arylsulfonyl, cycloalkylsulfonyl, heteroarylsulfonyl, hydroxyalkyl,

hydroxyhaloalkyl, aminoalkyl, carboalkoxy, carboxy, carboxyalkyl, carboxamido, haloalkyl, and cyano;

Y⁰ is the formula

$$R^{17}$$
 R^{16}
 NH
 NH_2
 R^{18}
 R^{19} ; and

R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, haloalkylthio, alkoxy, hydroxy, amino, alkylamino, alkylthio, alkylsulfinyl, alkylsulfonyl, alkanoyl, haloalkanoyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, aminoalkyl, and cyano.

Claim 18 (currently amended): Compound of claim 17 or a pharmaceutically acceptable salt thereof, wherein;

B is selected from the group consisting of hydrido, ethyl, 2-propynyl, 2-propenyl, propyl, isopropyl, butyl, 2-butenyl, 3-butenyl, 2-butynyl, sec-butyl, *tert*-butyl, isobutyl, 2-methylpropenyl, 1-pentyl, 2-pentenyl, 3-pentenyl, 4-pentenyl, 2-pentynyl, 3-pentyl, 1-methyl-2-butenyl, 1-methyl-3-butenyl, 1-methyl-2-butynyl, 3-pentyl, 1-ethyl-2-propenyl,

2-methylbutyl, 2-methyl-2-butenyl, 2-methyl-3-butenyl, 2-methyl-3-butynyl,

3-methylbutyl, 3-methyl-2-butenyl, 3-methyl-3-butenyl, 1-hexyl, 2-hexenyl,

3-hexenyl, 4-hexenyl, 5-hexenyl, 2-hexynyl, 3-hexynyl, 4-hexynyl, 2-hexyl,

1-methyl-2-pentenyl, 1-methyl-3-pentenyl, 1-methyl-4-pentenyl,

1-methyl-2-pentynyl, 1-methyl-3-pentynyl, 3-hexyl, 1-ethyl-2-butenyl,

1-ethyl-3-butenyl, 1-propyl-2-propenyl, 1-ethyl-2-butynyl, 1-heptyl, 2-heptenyl, 3-

heptenyl, 4-heptenyl, 5-heptenyl, 6-heptenyl, 2-heptynyl, 3-heptynyl,

4-heptynyl, 5-heptynyl, 2-heptyl, 1-methyl-2-hexenyl, 1-methyl-3-hexenyl,

1-methyl-4-hexenyl, 1-methyl-5-hexenyl, 1-methyl-2-hexynyl,

1-methyl-3-hexynyl, 1-methyl-4-hexynyl, 3-heptyl, 1-ethyl-2-pentenyl, 1-ethyl-3-pentenyl, 1-ethyl-4-pentenyl, 1-butyl-2-propenyl, 1-ethyl-2-pentynyl, 1-ethyl-3-pentynyl, 2,2,2-trifluoroethyl, 2,2-difluoropropyl, 4-trifluoromethyl-5,5,5-trifluoropentyl, 4-trifluoromethylpentyl, 5,5,6,6,6-pentafluorohexyl, and 3,3,3-trifluoropropyl, wherein each member of group B is optionally substituted at any carbon up to and including 5 atoms from the point of attachment of B to A with one or more of the group consisting of R³², R³³, R³⁴, R³⁵, and R³⁶;

R³², R³³, R³⁴, R³⁵, and R³⁶ are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, methoxy, ethoxy, isopropoxy, propoxy, hydroxy, amino, methoxyamino, ethoxyamino, acetamido, trifluoroacetamido, N-methylamino, dimethylamino, N-ethylamino, methylthio, ethylthio, isopropylthio, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, 2,2,3,3,3-pentafluoropropyl, trifluoromethoxy, 1,1,2,2-tetrafluoroethoxy, fluoro, chloro, bromo, amidosulfonyl, N-methylamidosulfonyl, N,N-dimethylamidosulfonyl, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, 2,2,2-trifluoro-1-hydroxyethyl, methoxycarbonyl, ethoxycarbonyl, amidocarbonyl, N-methylamidocarbonyl, N,N-dimethylamidocarbonyl, cyano, and Q^b;

R¹ is selected from the group consisting of hydrido, hydroxy, amino, amidino, hydroxyamino, aminomethyl, 1-aminoethyl, methylamino, dimethylamino, cyano, methyl, ethyl, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, methoxy, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, methoxyamino, methylthio, ethylthio, trifluoromethoxy, 1,1,2,2-tetrafluoroethoxy, fluoro, chloro, and bromo;

R⁹, R¹¹, and R¹³ are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy, isopropoxy, propoxy, hydroxy, amino, N-methylamino, N,N-dimethylamino, N-ethylamino, methylthio, ethylthio, isopropylthio, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, 2,2,3,3,3-pentafluoropropyl, trifluoromethoxy, 1,1,2,2-tetrafluoroethoxy, fluoro, chloro, bromo, methanesulfonamido, amidosulfonyl, N-methylamidosulfonyl,

N,N-dimethylamidosulfonyl, hydroxymethyl, 1-hydroxyethyl,

2-hydroxyethyl, 2,2,2-trifluoro-1-hydroxyethyl, amidocarbonyl,

N-methylamidocarbonyl, N,N-dimethylamidocarbonyl, and cyano;

R¹⁰ and R¹² are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, carboxymethyl, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy, isopropoxy, propoxy, hydroxy, amino, methoxyamino, ethoxyamino, acetamido, trifluoroacetamido, aminomethyl,

1-aminoethyl, 2-aminoethyl, N-methylamino, dimethylamino, N-ethylamino, methanesulfonamido, amidosulfonyl, N-methylamidosulfonyl,

N,N-dimethylamidosulfonyl, hydroxymethyl, 1-hydroxyethyl,

2-hydroxyethyl, 2,2,2-trifluoro-1-hydroxyethyl, methoxycarbonyl, ethoxycarbonyl, amidocarbonyl, N-methylamidocarbonyl,

N,N-dimethylamidocarbonyl, N-benzylamidocarbonyl,

N-(2-chlorobenzyl)amidocarbonyl, N-(3-fluorobenzyl)amidocarbonyl,

N-(2-trifluoromethylbenzyl)amidocarbonyl, N-(1-phenylethyl)amidocarbonyl, N-(1-methyl-1-phenylethyl)amidocarbonyl, N-benzylamidosulfonyl,

N-(2-chlorobenzyl)amidosulfonyl, N-ethylamidocarbonyl,

N-isopropylamidocarbonyl, N-propylamidocarbonyl,

N-isobutylamidocarbonyl, N-(2-butyl)amidocarbonyl,

N-cyclobutylamidocarbonyl, N-cyclopentylamidocarbonyl,

N-cyclohexylamidocarbonyl, fluoro, chloro, bromo, cyano, cyclobutoxy, cyclohexoxy, cyclohexylmethoxy, 4-trifluoromethycyclohexylmethoxy, cyclopentoxy, benzyl, benzyloxy, 4-bromo-3-fluorophenoxy,

3-bromobenzyloxy, 4-bromobenzyloxy, 4-bromobenzylamino,

5-bromopyrid-2-ylmethylamino, 4-butoxyphenamino, 3-chlorobenzyl,

4-chlorophenoxy, 4-chloro-3-ethylphenoxy, 4-chloro-3-ethylbenzylamino,

4-chloro-3-ethylphenylamino, 3-chlorobenzyloxy, 4-chlorobenzyloxy,

4-chlorobenzylsulfonyl, 4-chlorophenylamino, 4-chlorophenylsulfonyl,

5-chloropyrid-3-yloxy, 2-cyanopyrid-3-yloxy, 2,3-difluorobenzyloxy,

2,4-difluorobenzyloxy, 3,4-difluorobenzyloxy, 2,5-difluorobenzyloxy,

- 3,5-difluorophenoxy, 3,5-difluorobenzyloxy, 4-difluoromethoxybenzyloxy,
- 2,3-difluorophenoxy, 2,4-difluorophenoxy, 2,5-difluorophenoxy,
- 3,5-dimethylphenoxy, 3,4-dimethylphenoxy, 3,4-dimethylbenzyloxy,
- 3,5-dimethylbenzyloxy, 4-ethoxyphenoxy, 4-ethylbenzyloxy, 3-ethylphenoxy, 4-ethylaminophenoxy, 3-ethyl-5-methylphenoxy, 4-fluorobenzyloxy,
- 2-fluoro-3-trifluoromethylbenzyloxy, 3-fluoro-5-trifluoromethylbenzyloxy,
- 4-fluoro-2-trifluoromethylbenzyloxy, 4-fluoro-3-trifluoromethylbenzyloxy,
- 2-fluorophenoxy, 4-fluorophenoxy, 2-fluoro-3-trifluoromethylphenoxy,
- 2-fluorobenzyloxy, 4-fluorophenylamino, 2-fluoro-4-trifluoromethylphenoxy, 4-isopropylbenzyloxy, 3-isopropylphenoxy, 4-isopropylphenoxy,
- 4-isopropyl-3-methylphenoxy, 4-isopropylbenzyloxy, 3-isopropylphenoxy,
- 4-isopropylphenoxy, 4-isopropyl-3-methylphenoxy, phenylamino,
- 1-phenylethoxy, 2-phenylethoxy, 2-phenylethyl, 2-phenylethylamino, phenylsulfonyl,
- 3-trifluoromethoxybenzyloxy, 4-trifluoromethoxybenzyloxy,
- 3-trifluoromethoxyphenoxy, 4-trifluoromethoxyphenoxy,
- 3-trifluoromethylbenzyloxy, 4-trifluoromethylbenzyloxy,
- 2,4-bis-trifluoromethylbenzyloxy, 3-trifluoromethylbenzyl,
- 3,5-bis-trifluoromethylbenzyloxy, 4-trifluoromethylphenoxy,
- 3-trifluoromethylphenoxy, 3-trifluoromethylthiobenzyloxy,
- 4-trifluoromethylthiobenzyloxy, 2,3,4-trifluorophenoxy, 2,3,5-trifluorophenoxy, 3-pentafluoroethylphenoxy, 3-(1,1,2,2-tetrafluoroethoxy)phenoxy, and
- 3-trifluoromethylthiophenoxy; and
- R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, methyl, ethyl, isopropyl, propyl, carboxy, amidino, guanidino, methoxy, ethoxy, isopropoxy, propoxy, hydroxy, amino, aminomethyl, 1-aminoethyl, 2-aminoethyl, N-methylamino, dimethylamino, N-ethylamino, methylthio, ethylthio, isopropylthio, trifluoromethylthio, methylsulfinyl, ethylsulfinyl, methylsulfonyl, ethylsulfonyl, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, 2,2,3,3,3-pentafluoropropyl, trifluoromethoxy, 1,1,2,2-tetrafluoroethoxy, fluoro, chloro, bromo, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, and cyano.

Claim 19 (previously presented): Compound of claim 18 or a pharmaceutically acceptable salt thereof, wherein;

B is selected from the group consisting of hydrido, ethyl, 2-propenyl, 2-propynyl, propyl, isopropyl, butyl, 2-butyl, (R)-2-butyl, (S)-2-butyl, *tert*-butyl, isobutyl, 1-pentyl, 3-pentyl, 2-methylbutyl, 2,2,2-trifluoroethyl, 6-amidocarbonylhexyl, 4-methyl-2-pentyl, 3-hydroxypropyl, 1-methoxy-2-propyl, 2-methoxyethyl, 2-methyl-2-butyl, 3-methyl-2-butyl, 2-dimethylaminopropyl, 2-cyanoethyl, 6-hydroxyhexyl, 2-hydroxyethyl, 2-amidinoethyl, 2-guanidinoethyl, 3-guanidinopropyl, 4-guanidinobutyl, 3-hydroxypropyl, 4-hydroxybutyl, 6-cyanohexyl, 2-dimethylaminoethyl, 3-methylbutyl, 2-methylbutyl, (S)-2-methylbutyl, 3-aminopropyl, 2-hexyl, and 4-aminobutyl;

R¹ is selected from the group consisting of hydrido, hydroxy, amino, amidino, hydroxyamino, aminomethyl, methylamino, cyano, methyl, trifluoromethyl, methoxy, hydroxymethyl, methoxyamino, methylthio, trifluoromethoxy, fluoro, and chloro;

Q is selected from the group consisting of

3-amidocarbonyl-5-aminophenyl, 3-amino-5-(N-benzylamidocarbonyl)phenyl, 3-amino-5-benzylphenyl, 3-amino-5-(2-phenylethyl)phenyl,

3-amino-5-benzylaminophenyl, 3-amino-5-(2-phenylethylamino)phenyl,

3-amino-5-benzyloxyphenyl, 3-amino-5-(2-phenylethoxy)phenyl,

3-amino-5-(N-(2-chlorobenzyl)amidocarbonyl)phenyl,

3-amino-5-(N-(3-fluorobenzyl)amidocarbonyl)phenyl,

3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)phenyl,

3-amino-5-(N-(1-phenylethyl)amidocarbonyl)phenyl,

3-amino-5-(N-(1-methyl-1-phenylethyl)amidocarbonyl)phenyl,

3-amino-5-(N-benzylamidosulfonyl)phenyl,

3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl,

3-amino-5-(N-ethylamidocarbonyl)phenyl,

3-amino-5-(N-isopropylamidocarbonyl)phenyl,

3-amino-5-(N-propylamidocarbonyl)phenyl,

3-amino-5-(N-isobutylamidocarbonyl)phenyl,

3-amino-5-(N-(2-butyl)amidocarbonyl)phenyl,

3-amino-5-(N-cyclobutylamidocarbonyl)phenyl,

3-amino-5-(N-cyclopentylamidocarbonyl)phenyl,

3-amino-5-(N-cyclohexylamidocarbonyl)phenyl, 5-amino-2-fluorophenyl,

3-amino-5-hydroxymethylphenyl, 5-amino-3-methoxycarbonylphenyl,

3-amidinophenyl, 3-amino-2-methylphenyl, 5-amino-2-methylthiophenyl,

3-aminophenyl, 3-amino-5-(4-trifluoromethylbenzylamino)phenyl,

3-amino-5-(4-trifluoromethylbenzyloxy)phenyl, 3-carboxyphenyl,

3-carboxy-5-hydroxyphenyl, 3-amino-5-carboxyphenyl, 3-chlorophenyl,

2-chlorophenyl, 3-cyanophenyl, 3,5-diaminophenyl, 3-dimethylaminophenyl,

2-fluorophenyl, 3-fluorophenyl, 2-hydroxyphenyl, 3-hydroxyphenyl,

3-methanesulfonylaminophenyl, 2-methoxyphenyl, 3-methoxyphenyl,

3-methoxyaminophenyl, 3-methoxycarbonylphenyl, 2-methylaminophenyl,

3-methylaminophenyl, 2-methylphenyl, 3-methylphenyl, 4-methylphenyl, phenyl, 3-trifluoroacetamidophenyl, 3-trifluoromethylphenyl, and

2-trifluoromethylphenyl;

R¹⁶ and R¹⁹ are independently selected from the group consisting of hydrido, amidino, amino, aminomethyl, methoxy, methylamino, hydroxy, hydroxymethyl, fluoro, chloro, and cyano; and

R¹⁷ and R¹⁸ are independently selected from the group consisting of hydrido, fluoro, chloro, hydroxy, hydroxymethyl, amino, carboxy, and cyano.

Claim 20 (currently amended): Compound of claim 17, or a pharmaceutically acceptable salt thereof, wherein;

B is selected from the group consisting of hydrido, C2-C8 alkyl, C3-C8 alkenyl, or C3-C8 alkynyl, and C2-C8 haloalkyl, wherein each member of group B is optionally substituted at any carbon up to and including 6 atoms from the point of

attachment of B to A with one or more of the group consisting of R³², R³³, R³⁴, R³⁵, and R³⁶;

R³², R³³, R³⁴, R³⁵, and R³⁶ are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkoxy, hydroxy, amino, alkoxyamino, alkylamino, alkylthio, amidosulfonyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, carboalkoxy, carboxy, carboxamido, cyano, and Q^b;

R¹ is selected from the group consisting of hydrido, hydroxy, hydroxyamino, amidino, amino, cyano, hydroxyalkyl, alkoxy, alkyl, alkylamino, aminoalkyl, alkylthio, alkoxyamino, haloalkyl, haloalkoxy, and halo;

R⁹, R¹¹, and R¹³ are independently selected from the group consisting of hydrido, hydroxy, amino, amidino, guanidino, alkylamino, alkylthio, alkoxy, alkylsulfinyl, alkylsulfonyl, amidosulfonyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, carboxy, carboxamido, and cyano;

R¹⁰ and R¹² are independently selected from the group consisting of hydrido, acetamido, haloacetamido, amidino, guanidino, alkyl, alkoxy, alkoxyamino, hydroxy, amino, alkylamino, alkylsulfonamido, amidosulfonyl, hydroxyalkyl, aminoalkyl, halo, haloalkyl, carboalkoxy, carboxy, carboxamido, carboxyalkyl, and cyano; and

R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, amidino, guanidino, carboxy, haloalkylthio, alkoxy, hydroxy, amino, alkylamino, alkylthio, alkylsulfinyl, alkylsulfonyl, alkanoyl, haloalkanoyl, alkyl, halo, haloalkyl, haloalkoxy, hydroxyalkyl, aminoalkyl, and cyano.

Claim 21 (currently amended): Compound of claim 20 or a pharmaceutically acceptable salt thereof, wherein;

B is selected from the group consisting of hydrido, ethyl, 2-propenyl, 2-propynyl, propyl, isopropyl, butyl, 2-butenyl, 2-butynyl, sec-butyl, *tert*-butyl, isobutyl, 2-methylpropenyl, 1-pentyl, 2-pentenyl, 3-pentenyl, 2-pentynyl, 3-pentynyl, 2-methylbutyl, 2-methyl-2-butenyl, 3-methylbutyl, 3-methyl-2-butenyl, 1-hexyl, 2-hexenyl, 3-hexenyl, 4-hexenyl,

2-hexynyl, 3-hexynyl, 4-hexynyl, 2-hexyl, 1-methyl-2-pentenyl,

1-methyl-3-pentenyl, 1-methyl-2-pentynyl, 1-methyl-3-pentynyl, 3-hexyl,

1-ethyl-2-butenyl, 1-heptyl, 2-heptenyl, 3-heptenyl, 4-heptenyl, 5-heptenyl,

2-heptynyl, 3-heptynyl, 4-heptynyl, 5-heptynyl, 2-heptyl, 1-methyl-2-hexenyl, 1-methyl-3-hexenyl, 1-methyl-4-hexenyl, 1-methyl-2-hexynyl,

1-methyl-3-hexynyl, 1-methyl-4-hexynyl, 3-heptyl, 1-ethyl-2-pentenyl,

1-ethyl-3-pentenyl, 1-ethyl-2-pentynyl, 1-ethyl-3-pentynyl, 2,2,2-trifluoroethyl, 2,2-difluoropropyl, 4-trifluoromethyl-5,5,5-trifluoropentyl,

4-trifluoromethylpentyl, 5,5,6,6,6-pentafluorohexyl, and 3,3,3-trifluoropropyl, wherein each member of group B is optionally substituted at any carbon up to and including 5 atoms from the point of attachment of B to A with one or more of the group consisting of R³², R³³, R³⁴, R³⁵, and R³⁶;

R³², R³³, R³⁴, R³⁵, and R³⁶ are independently selected from the group consisting of hydrido, amidino, guanidino, methyl, ethyl, methoxy, ethoxy, hydroxy, amino, N-methylamino, dimethylamino, methoxyamino, methylthio, ethylthio, trifluoromethyl, pentafluoroethyl, 2,2,2-trifluoroethyl, fluoro, chloro, bromo, amidosulfonyl, N-methylamidosulfonyl, hydroxymethyl, amidocarbonyl, carboxy, cyano, and Q^b;

R¹ is selected from the group consisting of hydrido, hydroxy, hydroxymethyl, amino, aminomethyl, methylamino, cyano, methyl, trifluoromethyl, methoxy, methylthio, trifluoromethoxy, fluoro, and chloro;

R² is phenyl wherein (a) a ring carbon in a first alpha position relative to the ring carbon at the point of attachment is optionally substituted by R⁹, (b) a ring carbon in a second alpha position relative to the ring carbon at the point of attachment is optionally substituted by R¹³, (c) a ring carbon, in a first beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring [[atom]] carbon optionally substituted by R⁹, is optionally substituted by R¹⁰, (d) a ring carbon, in a second beta position relative to the ring carbon at the point of attachment and in an alpha position relative to the ring [[atom]] carbon optionally substituted by R¹³, is optionally substituted by R¹², and (e) a ring carbon, in the gamma position relative to the

ring carbon at the point of attachment and in an alpha position relative to each of the ring [[atoms]] carbons optionally substituted by R¹⁰ and R¹², respectively, is optionally substituted by R¹¹;

R⁹, R¹¹, and R¹³ are independently selected from the group consisting of hydrido, methyl, ethyl, methoxy, ethoxy, hydroxy, amino, N-methylamino, N,N-dimethylamino, methylthio, trifluoromethyl, pentafluoroethyl,

2,2,2-trifluoroethyl, fluoro, chloro, bromo, amidosulfonyl,

N-methylamidosulfonyl, N,N-dimethylamidosulfonyl, hydroxymethyl,

1-hydroxyethyl, amidocarbonyl, N-methylamidocarbonyl, carboxy, and cyano;

R¹⁰ and R¹² are independently selected from the group consisting of hydrido, amidino, amidocarbonyl, N-methylamidocarbonyl,

N-benzylamidocarbonyl, N-(2-chlorobenzyl)amidocarbonyl,

N-(3-fluorobenzyl)amidocarbonyl, N-(2-trifluoromethylbenzyl)amidocarbonyl, N-(1-phenylethyl)amidocarbonyl, N-(1-methyl-1-phenylethyl)amidocarbonyl, N-(benzylamidosulfonyl, N-(2-chlorobenzyl)amidosulfonyl,

N-ethylamidocarbonyl, N-isopropylamidocarbonyl, N-propylamidocarbonyl, N-isobutylamidocarbonyl, N-(2-butyl)amidocarbonyl,

N-cyclobutylamidocarbonyl, N-cyclopentylamidocarbonyl,

N-cyclohexylamidocarbonyl, guanidino, methyl, ethyl, methoxy, ethoxy, hydroxy, hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, carboxy, carboxymethyl, amino, acetamido, trifluoromethyl, pentafluoroethyl,

2,2,2-trifluoroethyl, trifluoroacetamido, aminomethyl, N-methylamino, dimethylamino, methoxyamino, amidosulfonyl, N-methylamidosulfonyl,

N,N-dimethylamidosulfonyl, methanesulfonamido, methoxycarbonyl, fluoro, chloro, bromo, and cyano; and

R¹⁶, R¹⁷, R¹⁸, and R¹⁹ are independently selected from the group consisting of hydrido, methyl, ethyl, amidino, guanidino, methoxy, hydroxy, amino, aminomethyl, 1-aminoethyl, 2-aminoethyl, N-methylamino, dimethylamino, methylthio, ethylthio, trifluoromethyl, pentafluoroethyl,

2,2,2-trifluoroethyl, trifluoromethoxy, fluoro, chloro, hydroxymethyl, carboxy, and cyano.

Claim 22 (previously presented): Compound of claim 21 or a pharmaceutically acceptable salt thereof, wherein;

B is selected from the group consisting of hydrido, ethyl, 2-propenyl, 2-propynyl, propyl, isopropyl, butyl, 2-butyl, (R)-2-butyl, (S)-2-butyl, *tert*-butyl, isobutyl, 1-pentyl, 3-pentyl, 2-methylbutyl, 2,2,2-trifluoroethyl, 6-amidocarbonylhexyl, 4-methyl-2-pentyl, 3-hydroxypropyl, 1-methoxy-2-propyl, 2-methoxyethyl, 2-methyl-2-butyl, 3-methyl-2-butyl, 2-dimethylaminopropyl, 2-cyanoethyl, 6-hydroxyhexyl, 2-hydroxyethyl, 2-amidinoethyl, 2-guanidinoethyl, 3-guanidinopropyl, 4-guanidinobutyl, 3-hydroxypropyl, 4-hydroxybutyl, 6-cyanohexyl, 2-dimethylaminoethyl, 3-methylbutyl, 2-methylbutyl, (S)-2-methylbutyl, 3-aminopropyl, 2-hexyl, and 4-aminobutyl;

R¹ is selected from the group consisting of hydrido, hydroxy, hydroxymethyl, amino, aminomethyl, cyano, methyl, trifluoromethyl, and fluoro;

R² is selected from the group consisting of

3-amidocarbonyl-5-aminophenyl, 3-amidocarbonyl-5-aminophenyl,

3-amino-5-(N-benzylamidocarbonyl)phenyl,

3-amino-5-(N-(2-chlorobenzyl)amidocarbonyl)phenyl,

3-amino-5-(N-(3-fluorobenzyl)amidocarbonyl)phenyl,

3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)phenyl,

3-amino-5-(N-(1-phenylethyl)amidocarbonyl)phenyl,

3-amino-5-(N-(1-methyl-1-phenylethyl)amidocarbonyl)phenyl,

3-amino-5-(N-benzylamidosulfonyl)phenyl,

3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl,

3-amino-5-(N-ethylamidocarbonyl)phenyl,

3-amino-5-(N-isopropylamidocarbonyl)phenyl,

3-amino-5-(N-propylamidocarbonyl)phenyl,

- 3-amino-5-(N-isobutylamidocarbonyl)phenyl,
- 3-amino-5-(N-(2-butyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-cyclobutylamidocarbonyl)phenyl,
- 3-amino-5-(N-cyclopentylamidocarbonyl)phenyl,
- 3-amino-5-(N-cyclohexylamidocarbonyl)phenyl, 5-amino-2-fluorophenyl,
- 3-amino-5-hydroxymethylphenyl, 5-amino-3-methoxycarbonylphenyl,
- 3-amidinophenyl, 3-amino-2-methylphenyl, 5-amino-2-methylthiophenyl,
- 3-aminophenyl, 3-carboxyphenyl, 3-carboxy-5-aminophenyl,
- 3-carboxy-5-hydroxyphenyl, 3-carboxymethyl-5-aminophenyl,
- 3-carboxymethyl-5-hydroxyphenyl, 3-carboxymethylphenyl, 3-chlorophenyl, 2-chlorophenyl, 3-cyanophenyl, 3,5-diaminophenyl, 3-dimethylaminophenyl,
- 2-fluorophenyl, 3-fluorophenyl, 2,5-difluorophenyl, 2-hydroxyphenyl,
- 3-hydroxyphenyl, 3-methanesulfonylaminophenyl, 2-methoxyphenyl,
- 3-methoxyphenyl, 3-methoxyaminophenyl, 3-methoxycarbonylphenyl,
- 2-methylaminophenyl, 3-methylaminophenyl, 2-methylphenyl, 3-methylphenyl, 4-methylphenyl, 3-trifluoroacetamidophenyl, 3-trifluoromethylphenyl, and 2-trifluoromethylphenyl;
- R¹⁶ and R¹⁹ are independently selected from the group consisting of hydrido, amidino, amino, aminomethyl, methoxy, methylamino, hydroxy, hydroxymethyl, fluoro, chloro, and cyano; and
- R¹⁷ and R¹⁸ are independently selected from the group consisting of hydrido, fluoro, chloro, hydroxy, hydroxymethyl, amino, carboxy, and cyano.

Claim 23 (currently amended): Compound of claim 22 or a pharmaceutically acceptable salt thereof, wherein;

B is selected from the group consisting of hydrido, ethyl, 2-propenyl, 2-propynyl, propyl, isopropyl, butyl, 2-butyl, (R)-2-butyl, (S)-2-butyl, *tert*-butyl, isobutyl, 1-pentyl, 3-pentyl, 2-methylbutyl, 2,2,2-trifluoroethyl, 6-amidocarbonylhexyl, 4-methyl-2-pentyl, 3-hydroxypropyl, 1-methoxy-2-propyl, 2-methoxyethyl, 2-methyl-2-butyl, 3-methyl-2-butyl,

- 2-dimethylaminopropyl, 2-cyanoethyl, 6-hydroxyhexyl, 2-hydroxyethyl,
- 2-amidinoethyl, 2-guanidinoethyl, 3-guanidinopropyl, 4-guanidinobutyl,
- 3-hydroxypropyl, 4-hydroxybutyl, 6-cyanohexyl, 2-dimethylaminoethyl,
- 3-methylbutyl, 2-methylbutyl, (S)-2-methylbutyl, 3-aminopropyl, 2-hexyl, and 4-aminobutyl;
- R¹ is selected from the group consisting of hydrido, hydroxy, hydroxymethyl, amino, aminomethyl, cyano, methyl, trifluoromethyl, and fluoro;
 - R² is selected from the group consisting of
- 3-amidocarbonyl-5-aminophenyl, 3-amino-5-(N-benzylamidocarbonyl)phenyl, 3-amino-5-(N-(2-chlorobenzyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(3-fluorobenzyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(1-phenylethyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-(1-methyl-1-phenylethyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-benzylamidosulfonyl)phenyl,
- 3-amino-5-(N-(2-chlorobenzyl)amidosulfonyl)phenyl,
- 3-amino-5-(N-ethylamidocarbonyl)phenyl,
- 3-amino-5-(N-isopropylamidocarbonyl)phenyl,
- 3-amino-5-(N-propylamidocarbonyl)phenyl,
- 3-amino-5-(N-isobutylamidocarbonyl)phenyl,
- 3-amino-5-(N-(2-butyl)amidocarbonyl)phenyl,
- 3-amino-5-(N-cyclobutylamidocarbonyl)phenyl,
- 3-amino-5-(N-cyclopentylamidocarbonyl)phenyl,
- 3-amino-5-(N-cyclohexylamidocarbonyl)phenyl, 3-aminophenyl,
- 3-carboxy-5-aminophenyl, 3-chlorophenyl, 3,5-diaminophenyl,
- 3-dimethylaminophenyl, 3-hydroxyphenyl, 3-methanesulfonylaminophenyl,
- 3-methylaminophenyl, 2-methylphenyl, 3-methylphenyl, phenyl, and
- 3-trifluoroacetamidophenyl; and
- Y⁰ is 4-amidinobenzyl, 2-fluoro-4-amidinobenzyl, or 3-fluoro-4-amidinobenzyl.

Claim 24 (previously presented): Compound of claim 17, or a pharmaceutically acceptable salt thereof, wherein;

 R^2 is 3-aminophenyl, B is 2,2,2-trifluoroethyl, A is single bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is (S)-2-butyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 5-amino-2-fluorophenyl, B is isopropyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

 R^2 is 2-methyl-3-aminophenyl, B is isopropyl, A is single bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is ethyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is ethyl, A is single bond, Y⁰ is 4-amidino-2-fluorobenzyl, and M is CH;

 R^2 is 3-aminophenyl, B is 2-propenyl, A is single bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is isopropyl, A is single bond, Y⁰ is 4-amidino-2-fluorobenzyl, and M is CH;

R² is 3-aminophenyl, B is isopropyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

 R^2 is 3-aminophenyl, B is 2-butyl, A is single bond, Y^0 is 4-amidinobenzyl, and M is CH;

 R^2 is 3-aminophenyl, B is (R)-2-butyl, A is single bond, Y^0 is 4-amidinobenzyl, and M is CH;

 R^2 is 3-aminophenyl, B is 2-propynyl, A is single bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is 3-pentyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is hydrido, A is CH₂, Y⁰ is 4-amidinobenzyl, and M is CH;

 R^2 is 3-aminophenyl, B is ethyl, A is CH_2 , Y^0 is 4-amidinobenzyl, and M is CH_3 ; R^2 is 3-aminophenyl, B is 2-methypropyl, A is single bond, Y^0 is 4-amidinobenzyl,

and M is CH;

R² is 3-aminophenyl, B is 2-propyl, A is CH₃CH, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is propyl, A is single bond, Y⁰ is 4-amidino-2-fluorobenzyl, and M is CH;

 R^2 is 3-aminophenyl, B is 6-amidocarbonylhexyl, A is single bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is tert-butyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is tert-butyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is 3-hydroxypropyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is 2-methylpropyl, A is single bond, Y⁰ is 4-amidino-2-fluorobenzyl, and M is CH;

 R^2 is 3-aminophenyl, B is butyl, A is single bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is 1-methoxy-2-propyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is 2-methoxyethyl, A is single bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is 2-propyl, A is single bond, Y⁰ is 4-amidino-3-fluorobenzyl, and M is CH;

 R^2 is 3-carboxyphenyl, B is 2-propyl, A is single bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is 2-propyl, A is single bond, Y⁰ is 4-amidino-3-fluorobenzyl, and M is CH;

R² is 3-aminophenyl, B is 2-propyl, A is single bond, Y⁰ is 4-amidino-3-fluorobenzyl, and M is CH;

 R^2 is 3-amino-5-carboxyphenyl, B is isopropyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-carbomethoxyphenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-aminophenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CCI;

 R^2 is 3-amino-5-carboxamidophenyl, B is isopropyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-benzyl-N-methylamidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(1-phenylethyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(2-phenyl-2-propyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(2,4-dichlorobenzyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(4-bromobenzyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(2-chlorobenzyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(2-trifluoromethylbenzyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

 R^2 is 3-amino-5-(N-(3-fluorobenzyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(3-trifluoromethylbenzyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-isobutylamidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

 R^2 is 3-amino-5-(N-cyclobutylamidocarbonyl)phenyl, B is isopropyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-cyclopentylamidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-cycloheptylamidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(2-pyridylmethyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(3-pyridylmethyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(2-(4-methoxyphenyl)ethyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(3-phenylpropyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(2,2-diphenylethyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(2-naphthylmethyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-(1,2,3,4-tetrahydronaphth-2-ylmethyl)amidocarbonyl)phenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

 R^2 is 3-aminophenyl, B is 2-propyl, A is a bond, Y^0 is 4-amidino-3-fluorobenzyl, and M is CH;

 R^2 is 3,5-diaminophenyl, B is 2,2,2-trifluoroethyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CH;

 R^2 is 3,5-diaminophenyl, B is (S)-2-butyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3,5-diaminophenyl, B is isopropyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

 R^2 is 3,5-diaminophenyl, B is isopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzylbenzyl, and M is CH;

 R^2 is 3,5-diaminophenyl, B is ethyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CH;

R² is 3,5-diaminophenyl, B is ethyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, and M is CH;

 R^2 is 3-amino-5-carboxyphenyl, B is 2,2,2-trifluoroethyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CH;

 R^2 is 3-amino-5-carboxyphenyl, B is (S)-2-butyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CH;

 R^2 is 3-amino-5-carboxyphenyl, B is isopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzylbenzyl, and M is CH;

R² is 3-amino-5-carboxyphenyl, B is ethyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-carboxyphenyl, B is ethyl, A is a bond, Y⁰ is 4-amidino-2-fluorobenzyl, and M is CH;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is 2,2,2-trifluoroethyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is (S)-2-butyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

 R^2 is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is isopropyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzylbenzyl, and M is CH;

R² is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is ethyl, A is a bond, Y⁰ is 4-amidinobenzyl, and M is CH;

 R^2 is 3-amino-5-(N-benzylamidocarbonyl)phenyl, B is ethyl, A is a bond, Y^0 is 4-amidino-2-fluorobenzyl, and M is CH; or

 R^2 is 3-carboxyphenyl, B is 2-propyl, A is a bond, Y^0 is 4-amidinobenzyl, and M is CCI.

Claims 25-49 (cancelled)